



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49

CASE NO. 630P

TYPE OF ACCIDENT Car/PED crossing street

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

Vehicle 1 was traveling west on a one-lane/one-way on-ramp to an interstate highway. The on-ramp has a slight downhill grade. The pedestrian, was crossing the on-ramp in a northerly direction. As the pedestrian was crossing the on-ramp, the front at the vehicle collided with the pedestrian. The pedestrian wrapped onto the hood, made contact to the windshield, breaking it, then rolled off the right roof side rail of the right front door. The pedestrian was hospitalized and the vehicle was driven from the scene.

B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	49	Male	Treated	Head	Organs	4	windshield		


Type of Anatomic Structure **Body Region** Head Whole Area Face Vessels Throat Nerves Chest Organs Abdomen/Pelvis Skeletal Spine Head-LOC **Upper Extremity** Skin-Burn **Lower Extremity** Skin-Other External


Abbreviated Injury Scale

- (1) Minor injury (2) Moderate injury
- (3) Serious injury
- (4) Severe injury
- (5) Critical injury
- (6) Maximum (untreatable)
- (7) Injured, unknown severity

C. VEHICLE PROFILE Most Severe Damage Based on Vehicle Inspection Class Vehicle Damage Damage Year/Make/Model of No. Description Plane Vehicle 01

Scale: 1 centimeter = 2.5 meters







PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number <u>4</u> 9		Case Nun	nber-Stratum <u>6</u> 5 <u>C</u> <u>P</u>		
PEDESTRIAN ACCIDENT CO	DLLISION DATA (COLLECTION	SCALED DIAGRAM		
document reference point and reference line relative to physical features	Surface Type	Conerte .	north arrow placed on diagram		
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	· <u>wet</u>	grade measurements for all applicable roadways		
a) vehicle skid marks	Coefficient of Fri	ction	scaled representations of the physical plant including:		
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement (-_2/	 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 		
c) vehicle/pedestrian point of impact (POI)	a) at impa	ict (?)-3/122	b) all traffic controls (e.g., lights, signs)		
d) location of pedestrian separation point from vehicle	b) betwee final re		scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:		
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	al Direction West	a) physical evidence, or		
documentation of the physical plant including: all road/roadway delineation (e.g., crosswalks,	Vehicle Travel D	ii BCIOI	b) reconstructed accident dynamics		
curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)					
Post		Distance and Direction from Reference Point	Distance and Direction from Reference Line		
KP		from Reference Point	1-6 N		
<u> </u>		75.7W			
FRV, FRP,		0 2 1	7.8N		
t KP,		6.88	9.6 N.		
•			W. C. V.		

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
and the second of the second o		
	,	
·		

•

National Highway Traffic Safety Ad

DEDECTDIAN ACCIDENT ECOM

ministration	PEDES I RIAN A	PEDESTRIAN CRASH DATA ST	rut
Primary Sampling Unit Numb	er U 9	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	630 P	Check () each special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below).	
IDENTIFICA	TION	studies and 0 for the special studies not checked.	
3. Number of General Vehicle		6SS15 Administrative Use	0_
Forms Submitted	0_1	7. <u>✓</u> SS16 Pedestrian Crash Data Study _	1
4. Date of Accident (Month,Day,Year)	1 9 6	8SS17 Impact Fires	0_
5. Time of Accident	2000	9SS18	0_
Code reported military tin	ne of accident.		
NOTE: Midnight = 240	00	10SS19	0

11. Number of Recorded Events in This Accident

NUMBER OF EVENTS

0 1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Unknown = 9999

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0 1</u>	13. <u>0 1</u>	14. <u>0 4</u>	15. <u>F</u>	16. <u>7 2</u>	17. <u>0 0</u>	18. <u>0</u> .			

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration	NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 2. Case Number - Stratum 6 30	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
-3. Pedestrian Number	160 pounds x .4536 = 72.5 kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown 5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify): (9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, moving along driveway (99) Off road, moving along driveway (99) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle
(999) Unknown inches X 2.54 = centimeters	(3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

DEDECTRIANIC ANGENIAR ASSESSED	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
79.0	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	(05) Harius in pockets
, , , ,	One or both arms.
` '	One or both arms:
` '	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
Head to a WAY	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
•	0 1
·	19. Pedestrian's Leg Orientation
	at Initial Impact
DEDECTRIAN'S ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward 1 - ++
	(04) Apart-left leg forward
	(03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (08) Other (specify):
16. Pedestrian's Head Orientation	(06) Left foot off the ground (15)
at Initial Impact	(07) Pight foot off the ground is the Committee
(1) To front	(07) Right foot off the ground at a country
(2) To left	(08) Other (energity):
(3) To right	(90) Other (specify).
(4) Up	(99) Unknown
(5) Down	20 Vahiala/Dada shipula laharantian
(8) Other (specify):	20. Vehicle/Pedestrian's Interaction
(9) Unknown	(01) Carried by vehicle, wrapped position
	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(U4) Passed over vehicle top
at Initial Impact	(04) Passed over vehicle top (05) Thrown straight forward (05) Thrown straight forward
(1) Facing vehicle	(06) Thrown forward and left of vehicle
(2) Facing away	(07) Thrown forward and right of vehicle
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
, , —	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	(11) Knocked to pavement, run over or
(9) Unknown	dragged by vehicle
	(12) Shunted to left (corner impacts only)
_	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	, , , , , , , , , , , , , , , , , , , ,
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

National Accident Sampling System-Crashworthines	
OFFICIAL RECORDS	INJURY CONSEQUENCES
(0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown Alcohol MY have fresent 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown
before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR 23. Police Reported Other Drug Presence	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported
For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60)
	that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STUP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD	OS INCLUDED WITH INITIAL SUBMISSION?
	YES[]
UPDATE CANDIDATE?	P NO[] YES[]

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

2. Case Number - Stratum

4. Blank

<u>_X_X</u>

INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	.	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	s. <u>7</u>	6. 8	7. <u>9</u>	8. <u>0 6</u>	9. <u>02</u>	- 10. <u>/</u>	11	12. 7/8	te 13. <u> </u>	14	15. <u>5</u>	16. 2	17.3
2nd	18. 2	19. <u>8</u>	20, <u>5</u>	2108	22. <u>/ 8</u>	23. 2	- 24. <u> </u>	_{25.} 718	25. <u>/</u>	27. <u>/</u>	28. <u>5</u>	29. <u>3</u>	30. <u>3</u>
3rd	31. <u>7</u>	32. <u>8</u>	33. <u>9</u>	34.D Z	35. <u>0</u> 2	¯36. <u>∫</u>	37. <u> </u>	38. <u>718</u>	39. <u>/</u>	40	41. <u>4</u>	- 42. <u>3</u>	43.
								51. <u>700</u>					
								64. <u>70</u> C					
								77. <u>700</u>					
								90. <u>70</u> C					
			•					103. <u>94</u>					
								- _{116.} <u>718</u>					
10th	122. Z	123. <u>&</u>	124. 5	125. 34	126. 27	<u>127. 3</u>	128	129. 700	130. 🖊	131. 🗸	132. 2	-T33. <u>3</u>	134.5

				PEDES	STRIA	JUNI N	JRY DAT	A				
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1:th	8	5	16	06	2	<u>-</u>	78 <i>0</i>	<u></u>	<u></u>	2	2	3_
12th <u>7</u>	<u>8</u>	<u>9</u>	<u> </u>	02	<u></u>	<u>~</u>	947	1	<u>L</u>	٥	<u>2</u>	٥_
13th <u>7</u>	2	<u>9</u>	<u> 26</u>	02	1_	<u>8</u>	775	1	<u>L</u>	2-	<u>5</u>	<u>8</u>
14th Z	2	<u>9</u>	<u>06</u>	02	1	7_	7 <u>25</u>	7	<u>/_</u>	<u>2</u>	<u>s</u>	<u>8</u> _
15th <u>Z</u>	2	<u> 5</u>	<u>14</u>	06	<u>L</u>	8_	7 <u>75</u>	<u></u>	<u>/</u> _	2	5	8
16th <u>Z</u>	2	5	<u> 10</u>	<u>04</u>	2	4_	7.25	7	Z	2	_5	· <u>8</u>
17th 2	<u>/</u>	<u>4</u>	06	<u>52</u>	4	L	<u>775</u>	1	L	고	- 5	· <u>&</u>
18th <u>Z</u>	1	2	06	62	- 1	D	775	L	L	2	5	<u>8</u>
19th <u>7</u>	6	<u>9_</u>	06	02	· L	2	225	- 1	<u></u>	2	<u>z</u>	8_
20th <u> </u>	1	9	<u> 26</u>	<u>0</u> 2	⁻ L	<u>۔</u>	775	- 1	<i>_</i>	2	<u>5</u>	<u>8</u>
21st <u>7</u>	2	9	06	22	1	$\underline{\nu}$	<u> 225</u>	1	L	_2	- 5 -	- 8/ -
22nd	_	_				_		_	_	_	_	_
23rd					_	_		—	_		_	
^{24th}	_	-			_	_			_	_	—	_
25th									—	_		

and the second section of the section of the second section of the section of the second section of the section of th

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



INJURY SOURCE CONFIDENCE LEVEL **SOURCE OF INJURY DATA** TYPE OF DAMAGE (1) Certain (2) Probable (0) Injury not from vehicle contact **OFFICIAL** No damage/contact (1) Autopsy records with or without hospital/ (3) Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than Large deformation Cracked, fractured, shattered DIRECT/INDIRECT INJURY emergency room (e.g., discharge (5) Direct contact injury Separated from vehicle (2) Indirect contact injury (3) Emergency room records only (including Noncontact injury associated X-rays or other lab reports) Noncontact injury (8) Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE **DAMAGE DEPTH** (0) Injury not from vehicle contact (1) Flat-Narrow (<15 centimeters) (2) Flat-Wide (≥ 15 centimeters) (0) Injury not from vehicle contact UNOFFICIAL (1) No residual damage (5) Lay coroner report Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters Other specify: Rounded (contoured) Rounded edge (6) E.M.S. personnel (7) Interviewee (5) Sharp edge (8) Other source (specify): Other (specify): (9) Police Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Abbreviated Injury Scale **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic (06) Lumbar Minor injury Moderate injury Whole Area (02) Skin - Abrasion (04) Skin - Contusion (2) (2) Face (3) Serious injury (3) Neck Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) (5) Severe injury Critical injury (06) Skin - Laceration (4)Thorax (5) Abdomen (08) Skin - Avulsion Maximum (untreatable) Spine (10) Amoutation (6) Upper Extremity Burn Injured, unknown severity (20) (7)Level of Injury Lower Extremity (30) Crush Aspect Degloving Injury - NFS Unspecified (40) (50) Specific injuries assigned Type of Anatomic Structure Trauma, other than mechanical consecutive two-digit beginning with 02. numbers (1) Right (2) Left Bilateral Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion (1) Whole Area To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. (4) (5) (6) (7) Central (2)Vessels Anterior Posterior Organs (includes muscles/ (4)Superior ligaments) (8) Inferior Skeletal (includes joints) (9) Unknown (6) Head - LOC Whole region Skin **INJURY SOURCE FRONT** Wheels / tires 790 Left front wheel / tire 700 Front bumper 744 B pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 746 D pillar 792 Left rear wheel / tire 702 Front grille 748 Other pillar (specify):_ 793 Right rear wheel /tire 703 Hood edge and/or trim 704 Hood ornament (fixed) 798 Other wheel / tire (specify): 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 751 Right side door handle 706 Headlight 752 Right side mirror fixed housing Undercarriage components 707 Retractable headlight door (Open/Closed) 800 Front crossmember 753 Right side folding mirror 708 Turn signal/parking lights 801 Steering assembly/Front suspension 718 Other front or add on object (specify): 754 Right side glazing forward of B pillar 802 Oil pan 755 Right side glazing rearward of B pillar 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank 723 A2 pillar **Back Components** 810 Rear suspension 724 B pillar 760 Rear (back) bumper 818 Other undercarriage component 725 C pillar 761 Tailgate (specify): 726 D pillar 762 Hatchback, vertical surface 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 825 Cargo (specify):_ 772 Front fender top surface 735 Left side glazing rearward of B pillar 826 Spare tire 736 Left side back fender or quarter panel 773 Cowl area 827 Spotlight 737 Rear antenna 774 Wiper blade & mountings 828 Other accessory (specify):_ 738 Other left side object 775 Windshield glazing 776 Front header (specify): 777 Roof surface Other Object or Vehicle in Environment 739 Unknown left side component 947 Ground 778 Backlight glazing

779 Rear header

780 Hatchback

781 Rear trunk lid

788 Other top component (specify):

789 Unknown top component

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

__ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

___ Yes

unavailable.)

Blood Alcohol Level (mg/dl)

BAL = 062

Glasgow Coma Scale Score

GCSS = 1

Units of Blood Given

Units = ______

Arterial Blood Gases

Ph = 7.430

PO2= 536.5


PCO. 21,0

нсо, <u>13</u>.80


2,851606.2,1 Jx Phibular


Comments of the staff


185406 3, 5 Probia














OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source



U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number $\underline{\mathcal{U}}\underline{9}$	OFFICIAL RECORDS
2. Case Number - Stratum 6 3 0 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number01_	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 = kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	(999) Unknown (999)
6. Vehicle Model (specify): Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	(8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied
7. Body Type Note: Applicable codes may be found on the back of this page. 8. Vehicle Identification Number	before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown Source:
	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

(90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)

- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 3,3 67 lbs X .4536 = 1,5 25 kgs Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown 15 X .4536 = kgs OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car	18. Impact Speed 45 m p m Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/vitness/police estimates PRECRASH DATA 21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by outside person, object, or event (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): Looking in RV. Mirror (9) Unknown 22. Pre-Event Vehicle Movement
	(2) Police calculation (3) Driver/Writness/police estimates PRECRASH DATA 21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving
 (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance 	(3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): Looking in RY. Mirror (9) Unknown
STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

•	0/1	1		
23.	Critical Precrash Event		(83) F	Pedalcyclist or other nonmotorist in roadway
	This Vehicle Loss of Control Due To:			specify):
	(01) Blow out or flat tire			Pedalcyclist or other nonmotorist approaching
	(02) Stalled engine			oadway (specify):
	(03) Disabling vehicle failure (e.g., wheel fell off)			Pedalcyclist or other nonmotorist—unknown
	(specify):			ocation (specify):
	(04) Non-disabling vehicle problem (e.g., hood flew		Objec	t or Animal
	up) (specify):		(87)	Animal in roadway
	(05) Poor road conditions (puddle, pot hole, ice, etc.)	İ	(88)	Animal approaching roadway
	(specify):	l	(89)	Animal—unknown location
	(06) Traveling too fast for conditions		(90) (Object in roadway
	(08) Other cause of control loss (specify):		(91) (Object approaching roadway
			(92)	Object—unknown location
	(09) Unknown cause of control loss This Vehicle Traveling		(98)	Other critical precrash event (specify):
	(10) Over the lane line on left side of travel lane		(99) Ū	Jnknown
	(11) Over the lane line on right side of travel lane	ĺ		1
	(12) Off the edge of the road on the left side	24.	Atten	npted Avoidance Maneuver
	(13) Off the edge of the road on the right side			No driver present
	(14) End departure	l	(01) N	No avoidance actions
	(15) Turning left at intersection		(02) E	Braking (no lockup)
	(16) Turning right at intersection			Braking (lockup)
	(17) Crossing over (passing through) intersection			Braking (lockup unknown)
	(19) Unknown travel direction			Releasing brakes
	Other Motor Vehicle In Lane	l		Steering left
	(50) Stopped			Steering right
	(51) Traveling in same direction with lower speed	l		Braking and steering left
	(i.e., lower steady speed or decelerating)	ŀ		Braking and steering right
	(52) Traveling in same direction with higher speed	l		Accelerating
	(53) Traveling in opposite direction	ŀ		Accelerating and steering left
	(54) In crossover			Accelerating and steering right
	(55) Backing			Other action (specify):
	(59) Unknown travel direction of other motor vehicle in lane		(99) L	Jnknown I
	Other Motor Vehicle Encroaching Into Lane	25	Precra	ash Stability After Avoidance Maneuver
	(60) From adjacent lane (same direction)—over left	~		No driver present
	lane line			lo avoidance maneuver
	(61) From adjacent lane (same direction)—over right			racking
	lane line		(3) 5	Skidding longitudinally—rotation less than 30 legrees
	(62) From opposite direction—over left lane line			Skidding laterally—clockwise rotation
	(63) From opposite direction—over right lane line			Skidding laterally—counterclockwise rotation
	(64) From parking lane			Other vehicle loss-of-control (specify):
	(65) From crossing street, turning into same direction		_	
	(66) From crossing street, across path		(9) F	Precrash stability unknown
	(67) From crossing street, turning into opposite direction	26.	Precra	ash Directional Consequences of
	(68) From crossing street, intended path not known		Avoid	ance Maneuver (Corrective Action)
	(70) From driveway, turning into same direction			lo driver present
	(71) From driveway, across path			lo avoidance maneuver
	(72) From driveway, turning into opposite direction			/ehicle stayed in travel lane where avoidance
	(73) From driveway, intended path not known			naneuver was initiated
	(74) From entrance to limited access highway			/ehicle stayed on roadway but left travel lane
	(78) Encroachment by other vehicle—details			where avoidance maneuver was initiated
	unknown			/ehicle stayed on roadway, not known if left ravel lane where avoidance maneuver was
	Pedestrian or Pedalcyclist, or Other Nonmotorist			nitiated
	(80) Pedestrian in roadway			/ehicle departed roadway
	(81) Pedestrian approaching roadway	1		Avoidance maneuver initiated off roadway
	(82) Pedestrian—unknown location			Directional consequences unknown
				· · · · · · · · · · · · · · · · · · ·

	ENVIRONME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area	33. Roadway Surface Condition (1) Dry (2) Wet
	Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	(3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

Impect speed bosed on

PAR - Scale - but no FRP

D vehich poI + FRPD

pe L

plus ped dynamical 37 mpt plus

to voul + / somerset sur top

D vehicle

Disser impt do-50 mpt

•

.

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1	Primary	Samn	lina	Unit	Number
١.	rilliary	Samp	my	OHIL	Manner

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm/was 132

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield


PEV25 Ground to Head Contact

cm

cm

cm

cm




	PEDESTRIAN SIDE CONTACT WORK SH		
PEV06	Hood Material		
PEV08	Hood Length		cm
PEV09	Hood Width-Forward Opening		cm
PEV10	Hood Width-Midway		cm
PEV11	Hood Width-Rear Opening		cm
	VERTICAL MEASUREMENTS		
PEV26	Ground Clearance		cm
PEV27	Side Bumper-Bottom Height		cm
PEV28	Side Bumper-Top Height		cm
PEV29	Centerline of Wheel		cm
PEV30	Top of Tire .		cm
PEV31	Top of Wheel Well Opening		cm
PEV32	Bottom of A-Pillar at Windshield		cm
PEV33	Top of A-Pillar at Windshield		cm
PEV34	Top of Side View Mirror		cm
		,	
	LATERAL MEASUREMENTS		
PEV35	C _L to A-Pillar at Bottom of Windshield	<u> </u>	cm
PEV36	C _L to A-Pillar at Top of Windshield		cm
PEV37	C _L to Maximum Side View Mirror Protrusion		cm
	WRAP DISTANCES		
PEV38	Ground to Side/Top Transition		cm
PEV39	Ground to Hood Edge		cm
PEV40	Ground to Centerline of Hood (ORIGIN)		cm
PEV41	Ground to Head Contact		cm

<i>7</i>	ORIGINAL SPECIFICATIONS					
Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./disp	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{rcl} $				
	CID x .	0164 = L				
INJURY SOURCE STATE SUPPLY SOURCE SUPPLY SOURC						
(specify): 729 Left side roof rail 730 Left side door surface 731 Left side door handle 732 Left side mirror fixed housing 733 Left side folding mirror 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar 736 Left side back fender or quarter panel 737 Rear antenna 738 Other left side object (specify): 739 Unknown left side component	(specify):	Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify):				

and the second of the second o

d M

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

СП

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF SEQUENCE CONTACT POINT #	
A	Bumper Cover	121	-33	0	lea	Scuffed/	1 2 3 9	
B	Bumper Gre	123	-46	0	Lea	4 reletas	1_2 _6 _9=	
	Lic Plake Frame	123	-15	Broken off	leg	Biolean/scatted	2 3 9	
D	Plak/Frame	127	13	0	Jee/	Strieted Marks		
2	Bumps Gover	125	20	0	Leg	// //	2 3 9	
F	L Frant town gar	93	-75	Brillia out	? (24)	BOLLONT	10011	
G	RFLZmalens	104	44	Cracked	?(leg)	Cracked.	1 ② ③.8	
H	RF7um Lens	93	45	Bolow	1(lef)	Bolenout	1 2,9 %	
A	Hood	92	7	1	Hip	Dented	1 2 3 9	
J	Gille 1862	99	-18	0	ley	Stricked Marks	①23#	
C_1	Hood	74	6		Hip	Denled	1 2 3 9	
D_{i}	Hool	81	님		Hir	Dented	D2 3 8	
٤٠	Hosa	75	6	0	Best (1)	Colored scutt/transfor) 2 3 9	
£.	Hord	۶۶	9	0	1	Blacksculs	D2 11	
Gi	Hood	59	0	0	7	11 (/	Ø 2 3 9	
HL	•	60	SI	д	7.	Swiped Dust	0239	
2	Hood	37	1)	0	7		1 2 3 9	
3	Physprid	=73	76	Bighole	lead stable		D2 3 8	
4	Roof	-145	63		<u> </u>	Dented	1 2 3 9	
	Hood	63	36		7	Dealed Stally	D2 388	
							1 2 3 9	
							1 2 1 1	
							1 2 3 9	
							1 2 2 3	
							1 2 3∜9≱	

	POINTS OF PEDESTRIAN CONTACT							
			CHRONO	LOGICAL ORE	DER OF CONTACTS			
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	
1 C	718	136	-15	2	R. shin	bent	O 2 3 9	
2 C	718	123	-15	1	Rikind.	501.441	02:11	
3 C	7/8	123	-15	5	abres i v	" 1	① 2 3 9	
٠,	700	13 ¢	\ •	/3-4	TIDIE &	enst clost	Q 2 3 9	
5 _	17	h	12	341	FIBILIA R	e, I	1 2 3 9	
ي:	f)	4	- ()	5/104	Flority O	<i>'</i> ,	D 238	
10	ч	Ü	•	19/h-e	R tibe- compa		<u>7</u> 2 3 9	
ŧ	growl	1	4	160	١		0::	
9 €	718	125	+20	3-4	Loc Joint	le ex	<u> 3</u> 3 9	
10 E	700	125	730	1	, 7 (# ; # ;	"	D211	
115	.,	٠,	٠,	1,	WFIBALE Ex	e, 41	2 3 9	
12	91012	ò	ž. 1	L	Fost		0211	
3	775	-75	+36	holed	month	hed Ws	(j) 2 3 9	
14 3	725	-75	+36	٠,	Forelest	5 t/	(2)11	
15	775	-25	+36	٠,	Avulsion	ee h	1 2 3 9	
. 16	775	7.	1,	•	Ex Nasel Septem	i, "	O 233	
17	775	4	۲1	4	Lematoma	l. 4	1 2 3 9	
19	775	11	•1	9	2060	/2_	ر د د د د	
19	775			-	Lac. bese	·	1 2 3 9	
20	775				nnech sca scalp		10.20.3.9	
21	175	-21	Where				<u>(1)</u> 2 3 9	
22							1 2 3 8	
23							1 2 3 9	
24							1 2 3 1	
25							1 2 3 9	

4. Original Wheelbase Z 8 Code to the nearest centimeter (999) Unknown	11. Hood Width Rear Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown
1 1 0 . 8 inches × 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width Code to the nearest centimeter (185) 185 centimeters or more (999) Unknown 60 Cinches X 2.54 = 153 centimeters	12. Hood/Fender Vertical/Lateral Crush From Pedestrian (0) Not damaged (1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters) (4) Severe crush (>7 centimeters) (8) Damage present, unknown if damage is from pedestrian impact (9) Unknown
6. Hood Material (1) Plastic (2) Fiberglass (3) Steel (4) Aluminum (5) Stainless Steel (8) Other (specify): (9) Unknown 7. Hood Original Equipment Manufacturer (OEM) (1) OEM factory installed hood (2) OEM replacement (3) Non-OEM replacement	13. Windshield Contact Damage From Pedestrian Contact (0) Not contacted by pedestrian (1) Contacted by pedestrian - not damaged (2) Contacted by pedestrian - damaged (3) Unknown if contacted by pedestrian - not damaged (4) Unknown if contacted by pedestrian - damaged (9) Unknown if contacted by pedestrian - unknown if damaged
(9) Unknown 8. Hood Length	FRONT CONTACT DAMAGE Front Vertical Measurements
Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
Code to the	15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	(9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =

	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters Forward Hood Opening Code to the	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 24. Ground to Top of Windshield Code to the
19.	nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Front Bumper Lead	nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters 25. Ground To Head Contact Code to the
	(00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknowninches X 2.54 =centimeters	nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 = centimeters
		SIDE CONTACT DAMAGE
	Front Wrap Distance Measurements	
21.	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Front/Top Transition Point 70 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Rear Hood Opening code to the nearest centimeter (000) No front contact (400) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =

	erline of Wheel	000	Side Lateral Messureme	ents
(000) (150) (999) ———	Code to the nearest centimeter No side contact 150 centimeters or more Unknown inches X 2.54 =		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the nearest centimeter (250) 250 centimeters or more (999) Unknown	<u> </u>
(000) (200) (999)	of Tire Code to the nearest centimeter No side contact 200 centimeters or more Unknown inches X 2.54 =	<u></u>	36. Centerline to A-Pillar at Top of Windshield Code to the nearest centimeter	centimeters
31. Top of ——————————————————————————————————	f Wheel Well Opening Code to the nearest centimeter No side contact 250 centimeters or more Unknown	Centimeters	(000) No side contact (250) 250 centimeters or more (999) Unknown inches X 2.54 = 37. Centerline to Maximum Side View Mirror Protrusion	centimeter
32. Botton (000) (250)	m of A-Pillar at Windshield Code to the nearest centimeter No side contact 250 centimeters or more Unknown	centimeters	Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	
33. Top of (000) (300)	f A-Pillar at Windshield Code to the nearest centimeter No side contact 300 centimeters or more Unknown	centimeters	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	<u>0 (0</u>
34. Top of (000) (300) (999)	f Side View Mirror Code to the nearest centimeter No side contact 300 centimeters or more Unknowninches X 2.54 =	000	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown inches X 2.54 =	000

				rage I
40	Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more	000		
41.	(999) Unknown · inches X 2.54 = Ground to Head Contact Code to the nearest centimeter	$\frac{\partial}{\partial} \sigma$	-	
	(000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown inches X 2.54 =	centimeters		

Smal

969.0400000000000120000100001 49630P00000011 01 49630P000100121128969.041000000000104F72000 9.04 0000000004911735109314507313014003401040499600331159912 49630P00010021 2130000000021 00000000078906021171811533 9.04 49630P00010131 9.04 00000000028508182171811533 49630P00010231 9.04 00000000078902021171811433 49630P00010331 9.04 00000000028516062170011233 49630P00010431 00000000028534223170011233 9.04 49630P00010531 00000000028516062170011233 49630P00010631 9.04 00000000028534223170011233 49630P00010731 00000000078906021194711000 49630P00010831 9.04 00000000028508182271811333 49630P00010931 9.04 00000000028534223270011233 49630P00011031 9.04 00000000028516062270011233 49630P00011131 00000000078902021294711000 9.04 49630P00011231 9.04 00000000072906021877511258 49630P00011331 9.04 00000000032906021777511258 49630P00011431 9.04 00000000032514061877511258 49630P00011531 00000000022510042477511258 9.04 49630P00011631 9.04 00000000021406524177511258 49630P00011731 9.04 00000000031906021077511258 49630P00011831 9.04 00000000076906021777511258 49630P00011931 9.04 00000000071906021677511258 49630P00012031 9.04 00000000077906021277511258 49630P00012131 |99908909600153000007 9.04 0000000009322002041G2HX53LXP 49630P01000041 29381581011114123120022 9.04 000000002811533112914815015322140320480651607007020220 49630P01000051 00000000000000

PSU49 CASE 630P

CURRENT VERSION: 9.04

ERROR SUMMARY SCREEN PEDESTRIAN STUDY



	IBER OF LAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
				~
Pedestrian Accident	0	0	0	
Pedestrian Assessment	0	0	Q	7 V
Pedestrian Injury	0	O	O	Y
Pedestrian General Vehicle	0	0	0	Υ
Pedestrian Exterior Vehicle	Ō	0	О	Υ
Total Inter Errors		0	0	
Total Case Errors	o	0	0	